



Jeffrey H. Berg, M.D.
Stephanie Clop, M.D.
Thomas B. Fleeter, M.D.
George Kartalian, M.D.
David R. Miller, M.D.
Dhruv B. Pateder, M.D.
James D. Reeves, MD
Raymond Thal, M.D.

1800 Town Center Drive, Suite 300 Reston VA 20190 • 6201 Centreville Road, Suite 600 Centreville VA 20121
Phone: 703-435-6604 • Fax: 703-787-6575 Phone: 703- 378- 4860 • Fax: 703-378-4868

ACL Reconstruction Protocol

Week 0-1 (Immediate Post-op)

- Maintain full extension – heel props
- If issued an immobilizer, use for ambulation and sleeping
- Quad sets – NMES prn
- Heel slides in long seated position
- Weight shifting
- Calf stretch (NWB if painful with WB)
- Ankle pumps
- Use ice/game ready device frequently
- D/C crutches ASAP

1-2 Weeks from Surgery (2-3 visits per week)

- Stationary bike (ROM only without resistance)
- Begin mini-squats to 45 degrees
- Balance exercises when full weight bearing without pain
- Calf raises
- Scar mobs after sutures are removed
- Patellar mobilization
- Gait training
- Hamstring stretching

2-4 Weeks from Surgery (progress from top to bottom)

- Focus on normalizing gait
- Progress balance and proprioception exercises
- CKC hamstrings
- TKE
- Step ups
- Hip strengthening
- Mini squats to 90 degrees
- Leg press
- Wall slides
- Stationary bike (add resistance and progress duration)
- Lunges
- Eccentric quadriceps strengthening

Orthopaedic and Reconstructive Surgery • Sports Medicine • Arthroscopic Surgery • Spine Surgery
Hand/Wrist & Upper Extremity Surgery • Foot/Ankle & Lower Extremity Surgery • Physical Medicine & Rehabilitation

www.towncenterorthopaedics.com



Jeffrey H. Berg, M.D.
Stephanie Clop, M.D.
Thomas B. Fleeter, M.D.
George Kartalian, M.D.
David R. Miller, M.D.
Dhruv B. Pateder, M.D.
James D. Reeves, MD
Raymond Thal, M.D.

1800 Town Center Drive, Suite 300 Reston VA 20190 • 6201 Centreville Road, Suite 600 Centreville VA 20121
Phone: 703-435-6604 • Fax: 703-787-6575 Phone: 703- 378- 4860 • Fax: 703-378-4868

4-6 Weeks from Surgery

- Treadmill if gait is normalized
- Retro walking on treadmill

6-8 Weeks from Surgery

- Eccentric hamstring strengthening
- Emphasize closed chain exercises

8-12 Weeks from Surgery

- Incorporate lateral and rotational movement as appropriate

12-14 Weeks from Surgery

- Begin progressive running program on treadmill/flat surface
- Initiate jogging
- Biking outdoors

4-5 Months from Surgery

- Initiate agility, plyometrics, running curves/cutting, sports specific training

6 Months from Surgery – Full Return to Activity

- Continue strengthening
- Progress running agilities, plyometrics
- Gradual return to sport